

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"02107858".pn.	JPO	OR	ON	2007/01/17 07:05
L2	204	(pulley with flange with ((hole with (elongat\$4 or oblong or oval)) or slot) with (position\$4 or adjust\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 09:04
L3	164	(pulley with hub with ((hole with (elongat\$4 or oblong or oval)) or slot) with (position\$4 or adjust\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:04
L4	1196	(gear with (hub or flange) with ((hole with (elongat\$4 or oblong or oval)) or slot) with (position\$4 or adjust\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:05
L5	550	(gear with (hub or flange) with ((hole with (elongat\$4 or oblong or oval)) or slot) with (position\$4 or adjust\$4) with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:23
L6	583	pulley with flange with hole	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L7	57292	(pulley near10 (press\$3 or roll\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L8	186	L6 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L9	144	pulley with hole with shaft with (flange or hub) with (attach\$4 or fix\$4 or screw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L10	787	(399/177,206,208,209,210,211,212).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L11	40	L10 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26

## EAST Search History

L12	4878	(pulley near10 (steel or (sheet near metal) or (thin near plate near (metal or material))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L13	4	L10 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L14	787	L10 or L11 or L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L15	499	(pulley near8 (cutout or "cut out" or cut-out or drawn-shap\$3 or (drawn near shape\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L16	476	(29/892,892.11,892.3).cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L17	2	L16 and (L7 and L12 and L15)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L18	169	L16 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L19	153	L16 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L20	476	L16 or L17 or L18 or L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L21	625	(254/371,372).cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26

## EAST Search History

L22	695189	(attach\$4 secur\$4 engag\$4 fix\$3 fasten\$3 coupl\$4 bind\$3) near5 (wire cable rope string cord)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L23	110	L21 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L24	625	L21 or L23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L25	721	(474/174,176,182,903).ccds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L26	279	D8/360.ccds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L27	8306	carriage and pulley and wire and shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L28	787	(399/177,206,208,209,210,211,212).ccds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L29	64	L27 and L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:26
L30	33	(L8 L9 L14 L15 L20 L21 L24 L25 L26 L29) and @pd>"20060703"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 10:42